

L Number	Hits	Search Text	DB	Time stamp
4	276	(442/304,312,316).CCLS.	USPAT; US-PGPUB	2004/02/19 16:09
5	22	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and ((442/304,312,316).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/19 16:09
-	48	(442/316).CCLS.	USPAT	2003/09/18 13:59
-	11	((442/316).CCLS.) and (stainless same steel)	USPAT	2003/03/31 18:17
-	0	((442/316).CCLS.) and (stainless same steel) and jersey	USPAT	2003/03/31 18:17
-	11	((442/316).CCLS.) and (stainless same steel)	USPAT	2003/03/31 18:17
-	23	(stainless near4 steel) same (knit or knitted) same jersey	USPAT; EPO; JPO; DERWENT	2003/04/01 09:17
-	6	(stainless near4 steel) same (knit or knitted) same jersey and gauge	USPAT; EPO; JPO; DERWENT	2003/03/31 18:20
-	6	(steel) same (knit or knitted) same jersey and gauge	USPAT; EPO; JPO; DERWENT	2003/03/31 18:20
-	33	(steel) same (knit or knitted) same gauge	USPAT; EPO; JPO; DERWENT	2003/03/31 18:31
-	77	"521741" "502756" "499522" "438342" "415826" "312439" "312441"	USPAT; EPO; JPO; DERWENT	2003/04/01 10:14
-	939	(stainless near4 steel) same (knit or knitted)	USPAT; EPO; JPO; DERWENT	2003/04/01 09:17
-	23	(stainless near4 steel) same (knit or knitted) same gauge	USPAT; EPO; JPO; DERWENT	2003/04/01 09:21
-	106	(stainless near4 steel) same (knit or knitted) and gauge	USPAT; EPO; JPO; DERWENT	2003/04/01 10:08
-	1	"3379000".PN.	USPAT	2003/04/01 09:32
-	1	"3424220".PN.	USPAT	2003/04/01 09:32
-	1	"4930199".PN.	USPAT	2003/04/01 09:33
-	1	"5230226".PN.	USPAT	2003/04/01 09:33
-	1	"5834382".PN.	USPAT	2003/04/01 09:34
-	26	"9708108" "9401373" "9704152"	USPAT; EPO; JPO; DERWENT	2003/04/01 09:34

-	192758	NAKAMURA sam eHIROAKI	USPAT; EPO; JPO; DERWENT	2003/04/01 10:08
-	578	NAKAMURA same HIROAKI	USPAT; EPO; JPO; DERWENT	2003/04/01 10:08
-	1	(NAKAMURA same HIROAKI) and (OKAYAMA same TAKAHIRO)	USPAT; EPO; JPO; DERWENT	2003/04/01 10:09
-	108	"521741" "502756" "499522" "438342" "415826" "312439" "312441" "387111" "388249" "2168339"	USPAT; EPO; JPO; DERWENT	2003/04/01 10:18
-	81	tominaga and sei ji	USPAT; EPO; JPO; DERWENT	2003/04/01 10:19
-	774	(tominaga and sei ji) or (murakami and masaki) or (takagi and kazuyoshi)	USPAT; EPO; JPO; DERWENT	2003/04/01 10:20
-	10	((tominaga and sei ji) or (murakami and masaki) or (takagi and kazuyoshi)) and (knit\$4)	USPAT; EPO; JPO; DERWENT	2003/04/01 10:22
-	48	(442/316).CCLS.	USPAT	2003/04/01 10:22
-	7	((442/316).CCLS.) and (jersey or tricot)\	USPAT	2003/04/01 10:23
-	7	((442/316).CCLS.) and (jersey or tricot)	USPAT	2003/04/01 10:26
-	262	steel same (jersey or tricot)	USPAT	2003/04/01 10:26
-	262	steel same (jersey or tricot)	USPAT	2003/04/01 10:26
-	42	steel same (jersey or tricot) and (stitch\$3 or gauge)	USPAT	2003/04/01 10:32
-	2	"5388432"	USPAT; US-PGPUB	2003/04/01 11:45
-	1	"2837462".PN.	USPAT	2003/04/01 10:41
-	1	"3658741".PN.	USPAT	2003/04/01 10:41
-	1	"4207367".PN.	USPAT	2003/04/01 10:41
-	1	"4313988".PN.	USPAT	2003/04/01 10:41
-	1	"4499134".PN.	USPAT	2003/04/01 10:41
-	1	"4647495".PN.	USPAT	2003/04/01 10:41
-	1	"5030507".PN.	USPAT	2003/04/01 10:41
-	1	"5130372".PN.	USPAT	2003/04/01 10:41
-	3	"4220112"	USPAT; US-PGPUB	2003/04/01 11:45

-	18	"477785" "5388432"	USPAT; EPO; JPO; DERWENT	2003/09/18 14:00
-	18575	(glass near5 (mold\$5 or mould\$5))	USPAT	2003/09/20 11:51
-	44165	(glass near5 (mold\$5 or mould\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 11:51
-	1	(glass near5 (mold\$5 or mould\$5)) and (knit\$5) and (stitch\$5 near5 (centimet\$5 or inch\$5) near5 square\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 11:53
-	63	(glass near5 (mold\$5 or mould\$5)) and (knit\$5) and (((centimet\$5 or inch\$5) near5 square\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 11:57
-	67	(glass near5 (mold\$5 or mould\$5)) and (knit\$5) and (((centimet\$5 or inch\$5) near5 square\$5) or (stitch near4 density) or (knit\$5 near4 density))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 11:57
-	40	(glass near5 (mold\$5 or mould\$5)) and (knit\$5) and (((centimet\$5 or inch\$5) near5 square\$5) or (stitch near4 density) or (knit\$5 near4 density)) and (steel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 11:58
-	62	(glass near5 (mold\$5 or mould\$5)) and (knit\$5) and (((centimet\$5 or inch\$5) near5 square\$5) or (stitch near4 density) or (knit\$5 near4 density)) and (steel or metal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 12:11
-	127	(glass near5 (mold\$5 or mould\$5 or shap\$5)) and (knit\$5) and (((centimet\$5 or inch\$5) near5 square\$5) or (stitch near4 density) or (knit\$5 near4 density)) and (steel or metal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 12:15
-	344	(glass near5 (mold\$5 or mould\$5 or shap\$5 or temper\$5)) and (knit\$5) and (((centimet\$5 or inch\$5) near5 square\$5) or (stitch near4 density) or (knit\$5 near4 density)) and (steel or metal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 12:15
-	27	(glass near5 (mold\$5 or mould\$5 or shap\$5 or temper\$5)) and (knit\$5) and ((stitch near4 density) or (knit\$5 near4 density)) and (steel or metal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 12:17
-	9	(glass near5 (mold\$5 or mould\$5 or shap\$5 or tempering)) and (knit\$5) and ((stitch near4 density) or (knit\$5 near4 density)) and (steel or metal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 12:20
-	14	(glass near5 (mold\$5 or mould\$5 or shap\$5 or tempering or plate)) and (knit\$5) and ((stitch near4 density) or (knit\$5 near4 density)) and (steel or metal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 15:09
-	16	(glass near5 (mold\$5 or mould\$5 or shap\$5 or tempering or plate)) and (knit\$5) and ((stitch near4 density) or (knit\$5 near4 density))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 12:25

-	19	(glass near5 (mold\$5 or mould\$5 or shap\$5 or tempering or plate)) and (knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 12:28
-	193	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and (steel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 12:29
-	98	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and (steel) and (glass or ceramic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 12:29
-	13	"9401372"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 12:40
-	968	(glass near5 (mold\$5 or mould\$5 or shap\$5 or tempering or plate)) and (knit\$5) and (steel or metal) and (layer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 15:10
-	8	(glass near5 (mold\$5 or mould\$5 or shap\$5 or tempering or plate)) and (knit\$5) and (steel or metal) and (layer\$3) and gauge and jersey	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 15:13
-	1	"3806959".PN.	USPAT	2003/09/20 15:11
-	2	"6289702"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 15:12
-	6	(glass near5 (mold\$5 or mould\$5 or tempering)) and (knit\$5) and (steel or metal) and (layer\$3) and gauge and jersey	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 15:16
-	327	(glass near5 (mold\$5 or mould\$5 or tempering)) and (knit\$5) and (steel or metal) and (layer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 15:16
-	44	(glass near5 (mold\$5 or mould\$5 or tempering)) and (knit\$5) and (steel or metal) and (layer\$3) and gauge	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 15:16
-	9	(glass near5 (mold\$5 or mould\$5 or tempering)).ab. and (knit\$5) and (steel or metal) and (layer\$3) and gauge	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 15:16
-	31	(glass near5 (mold\$5 or mould\$5 or tempering)).ab. and (knit\$5) and (steel or metal) and (layer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 15:16

-	42	(glass near5 (mold\$5 or mould\$5 or tempering)).ab. and (knit\$5) and (steel or metal) and (layer\$3 or different)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 15:21
-	79	(glass near5 (mold\$5 or mould\$5 or tempering)) and (knit\$5) and (steel or metal) and ((layer\$3 or surface\$5) near5 different)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 15:22
-	1293	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 14:31
-	24	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and (metal or aluminum or steel or copper) and (air near4 permeability)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 14:39
-	195	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)) or stitch\$3) and (metal or aluminum or steel or copper) and (air near4 permeability)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 14:44
-	107	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)) or stitch\$3) and (metal or aluminum or steel or copper) and (air near4 permeability) and glass	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 14:52
-	195	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)) or stitch\$3) and (metal or aluminum or steel or copper) and (air near4 permeability)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 14:52
-	110	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)) or stitch\$3) and (metal or aluminum or steel or copper) and (air near4 permeability) and (mold\$5 or mould\$5 or tempering or shaping or plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 14:58
-	195	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)) or stitch\$3) and (metal or aluminum or steel or copper) and (air near4 permeability)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:14
-	16	"477785"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 15:12
-	3	"5388432"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 15:15

-	5	"5631067"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 15:21
-	1173	(65/69,41,95,104,114).CCLS.	USPAT; US-PGPUB	2004/02/11 15:22
-	38	((65/69,41,95,104,114).CCLS.) and knit\$5	USPAT; US-PGPUB	2004/02/11 15:27
-	1	"6233978"	USPAT; US-PGPUB	2004/02/11 15:27
-	1	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)) or stitch\$3) and (metal or aluminum or steel or copper) and (air near4 permeability) and "6233978"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:05
-	19	(glass near5 (mold\$5 or mould\$5 or shap\$5 or tempering or plate)) and (knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 09:46
-	16	"477785"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 09:46
-	13	"502756"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 09:47
-	5	"9708108"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 09:48
-	8	"9704152"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 09:49
-	2	"6233978"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 09:56
-	1	"4004295".PN.	USPAT	2004/02/17 09:50
-	1	"4518640".PN.	USPAT	2004/02/17 09:50
-	1	"5415007".PN.	USPAT	2004/02/17 09:50
-	1	"5822791".PN.	USPAT	2004/02/17 09:51
-	1	"5822791".PN.	USPAT	2004/02/17 09:51
-	1	"5858054".PN.	USPAT	2004/02/17 09:51
-	1	"5858054".PN.	USPAT	2004/02/17 09:52

-	1	"5887453".PN.	USPAT	2004/02/17 09:53
-	1	"5858054".PN.	USPAT	2004/02/17 09:53
-	8	"6103641"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 09:58
-	2	"11079766"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:00
-	567	TOKYO same SEIKO same ROPE	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:00
-	76	(TOKYO same SEIKO same ROPE) and metal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:00
-	1	(TOKYO same SEIKO same ROPE) and metal and density	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:01
-	826	(428/911,912).CCLS.	USPAT; US-PGPUB	2004/02/17 10:01
-	44	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)) or stitch\$3) and (metal or aluminum or steel or copper) and ((428/911,912).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:03
-	2	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and (metal or aluminum or steel or copper) and ((428/911,912).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:03
-	24	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and (metal or aluminum or steel or copper) and (air near4 permeability)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:07
-	26	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and (metal\$5 or aluminum or steel or copper) and (air near4 permeability)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:08
-	424	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and (metal\$5 or aluminum or steel or copper)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:08

-	160	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and (metal\$5 or aluminum or steel or copper) and glass	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:09
-	10	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))).ab. and (metal\$5 or aluminum or steel or copper) and glass	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:10
-	411	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and (metal or aluminum or steel or copper)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:14
-	160	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and (metal or aluminum or steel or copper) and glass	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/19 16:09
-	13	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and (metal or aluminum or steel or copper) and (glass near6 (shape\$5 or mold\$5 or mould\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:17
-	14	(knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm))) and (glass near6 (shape\$5 or mold\$5 or mould\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:18
-	14	(knit\$5) and ((stitch near4 densit\$3) or (knit\$5 near4 densit\$3) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)) or (stitch\$5 near4 cm2)) and (glass near6 (shape\$5 or mold\$5 or mould\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:19
-	16	(knit\$5) and ((stitch near4 densit\$3) or (knit\$5 near4 densit\$3) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)) or (stitch\$5 near4 cm2) or (gauge near4 density)) and (glass near6 (shape\$5 or mold\$5 or mould\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:33
-	248	(knit\$5) and ((high or large or "90" or "100") near4 ((stitch near4 densit\$3) or (knit\$5 near4 densit\$3) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)) or (stitch\$5 near4 cm2) or (gauge near4 density)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 10:34
-	69	(knit\$5) and ((high or large or "90" or "100") near4 ((stitch near4 densit\$3) or (knit\$5 near4 densit\$3) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)) or (stitch\$5 near4 cm2) or (gauge near4 density))) and (metal\$5 or copper or aluminum)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 12:22

-	13	"9401372"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/17 12:22
-	5	"5328496"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/19 14:30
-	5	"5631067"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/19 14:30
-	16	"477785"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/19 14:30
-	19	(glass near5 (mold\$5 or mould\$5 or shap\$5 or tempering or plate)) and (knit\$5) and ((stitch near4 density) or (knit\$5 near4 density) or (stitches near3 square near4 (inch\$3 or in)) or (stitches near3 square near3 (centim\$6 or cm)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/19 14:35